

UX120-018

HOBO????????

?????

??120V????????????

Important Information

??HOBOWare?????USB????????HOBOWare Pro USB Drive????????USB-A?USB-B????????????????



Compatible with
HOBOWare® ??

Supported Measurements

???, ??, ?? (A), ???kWh?, ??? (PF), ?? (VA), ?? (V), ?? (Wh), ?? (W)

Features

???? ??????????????

- 0.5%????????????????????
- "?????"????????????????
- ??????????????????????
- ?????????????????????????
- ?????????????????????????
- ?????????????????????????
- ??LCD????????????????
- ??HOBOWare?HOBOWare Pro????????????????

What's in the box

- HOBO UX120-018 ??????????
- ??????

Contact Us

Sales (8am to 5pm ET, Monday through Friday)

- Email sales@onsetcomp.com
- Call 1-508-759-9500
- In U.S. toll free 1-800-564-4377
- Fax 1-508-759-9100

Technical Support (8am to 5pm ET, Monday through Friday)

- Contact Product Support www.onsetcomp.com/support/contact
- Call 1-508-759-9500
- In U.S. toll free 1-877-564-4377

Onset Computer Corporation
470 MacArthur Boulevard
Bourne, MA 02532

HOBO???????? (UX120-018) Specifications

UX120-018????15????NEMA 5-15P????120V AC ±10%??50/60Hz????1800W?

- ?????
- ????2

????15??

RMS???? ?14????0.5%????100%????14????1.0%

RMS???? ?14????0.5%????100%????14????1.0%

???? ?14????0.5%????100%????14????1.0%

???? ?14????0.5%????100%????14????1.0%

???? ±0.02

??? 1????0.5%

??? ????RMS 10mV
???RMS 0.1mA
??? 10????120VAC?1??
??? 10mW
??? 10mVA
??? 0.01 PF

???? ?25°C?40°C?41°F?104°F?0?95%????2000?6562??

???? ?HOBOWare????

???? 1?18?12?15?

???? 60Hz?16.67???

????

????

????

???? ??

???? ?25°C?77°F???±1????A

??? ?????0.92?3????AAA 1.5V????

???? ?????2????????1????25°C?77°F????6??

??? 4 MB??140????

???? USB 2.0??

?????? ?1.5??

LCD? LCD?0°C?50°C?32°F?122°F????LCD????

??? 13.97 x 7.62 x 4.75??5.5 x 3 x 1.87??

??? 230.8??8.14??

???


IP50;



UL????????????UL??

???

????????ANSI C12.20 0.5%????????



Plot A: Time Accuracy