



RX2105

MicroRX ?????

??

Important Information

??RX????LI-COR??



Compatible with
LI-COR Cloud® ?????

Supported Measurements

4-20??, ???, ????, ??? (Ah), ?? (A), ????, ??, ???kWh?, ?? (kW), ???, ??? (PF), ???, ???, ??, ???, ?????, ?? (VA), ?? (V), ??, ?? (Wh), ?? (W)

Features

- ?????HOBOnet????
- ?????50????600????
- ?????
- ?????AA????
- ??LCD????
- ??4G????10???
- ??HOBOLink????
- ?????U???

What's in the box

- HOBO RX2105 MicroRX?
- ???
- ??
- ?????
- ??
- ?????
- ??AA???

Contact Us

Sales (8am to 5pm ET, Monday through Friday)

- Email sales@onsetcomp.com
- Call 1-508-759-9500
- In U.S. toll free 1-800-564-4377
- Fax 1-508-759-9100

Onset Computer Corporation
470 MacArthur Boulevard
Bourne, MA 02532

Technical Support (8am to 5pm ET, Monday through Friday)

- Contact Product Support www.onsetcomp.com/support/contact
- Call 1-508-759-9500
- In U.S. toll free 1-877-564-4377

MicroRX (RX2105) Specifications

??	
???	RX2105: -40°?60°C (-40°140°)
???????	5
?????????	??? 100 ?328 ??
?????????	??? 15 ?????????????????????????????
??????	1 ??? 18 ??
????	? 0°C ? 40°C?32°F ? 104°F????????? ±8 ?? ? -40°C ? 60°C?-40°F ? 140°F????????? ±30 ?
????/?	RX2105????????P-AC-1?? 6 ? AA?5?1.5 V ???
????/?	RX2105: ????????????????? ????????????? 1 ?????????????? 3 ?????????????? 2 ?????????? 10 ????????????????????????????????
??????	????????? 2 ? 4 ??
????	????????????????????
?????	LCD ??????????0°C ? 50°C?32°F ? 122°F?????????LCD ?????????????
??	?????????/PBT????????????????? ?????????/PBT? ????????????? ?????Santoprene™ TPE????? U????????????????????
??	19.95 x 13.68 x 7.49 ???7.85 x 5.39 x 2.95 ?????????????
??	678? (23.9??)
??	??? U ?????????? 4.14 ???1.63 ?????????????????????
????	?????NEMA 4X ? IP66 (?????????)
?????	GSM/GPRS/EDGE: Quad band 850/900/1800/1900 MHz UMTS/HSPA+: Seven band 800/850/900/1800/1900/2100 MHz LTE: Twelve Band 700/800/850/900/1800/1900/2100/2600 MHz
??	4G LTE
???	

????	-25°?60°C (-13????140???)
?????	12.6 ???+11 dBm?????
????	? 1.8 ??6 ?????????????????? 457.2 ??1,500 ??????????? ? 3 ??10 ?????????????????? 609.6 ??2,000 ???????????
??????	IEEE 802.15.4
???????	RX210x-922: 916â??924 MHz RX210x-921: 921 MHz RX210x-900: 904-924 MHz RX210x-868: 866.5 MHz
?????	????????? (?????????)
????	????? 250 kbps??????
???	<1%
???????	?? HOBOnet ????????? 50 ?????
??	?????
??	?????Mote?????16.2 x 8.59 x 4.14 ???6.38 x 3.38 x 1.63 ??? ??????2 ??6.56 ???
??	159? (5.62 ??)
??	PC/PBT?????/? ?????????????????????
????	IP67, NEMA 6

