


????

??????????? Windows ?????? HOBObconnect ???????????? HOBObconnect ????

????? ???????????????????? LI-COR Cloud® IoT ?????????? HOBOblink??? MX ??????



4-20??, ???, ????, ????, ??????, ???, ????, ??, ??, ??, ???, ????, ??

- ?????????????
- HOBObconnect????????????????????????????????????
- IP54????????????
- LCD????????????
- ??????16????
- ?????????????Onset's Self-Describing????????

- HOB0 MX1104 ??/?/?/?/?/?/?/?/?
- ????
- ??AAA 1.5??????????
- SD-TEMP-06 ?????????

- Contact Product Support www.onsetcomp.com/support/contact
- Call 1-508-759-9500
- In U.S. toll free 1-877-564-4377

HOBO ?????? ??/????/??/???? (MX1104-TEMP-06) Specifications

??/??/???? (SD-TEMP-xx)

????	???-40° ? 50°C?-40° ? 122°F?????-40° ? 100°C?-40° ? 212°F?
????	±0.15°C ?0°C?50°C????A? (0.9??)?????A?)
??	25°C?0.002? (77????0.003?)
??	????0.1°C (<0.2???/?)
??????	??? 2 ???? 90%????? 1 m/s (2.2 mph) ?????
????????	??? 30 ??? 90%
????	????????????????? 50°C (122°F)??? 1 ?
????	???????
????	5.1×33?? (0.2 x 1.3 ??)
????	1.8 ? (6??)

????? (MX1104)

??	-20°C?70°C (-4????158???)
????	?0°?50°C???±0.20°C (±0.36????32°?122?????)
??	25°C??0.002°C (77?????0.004???)
??	????0.1°C (??0.18???)

????????* (MX1104)

??	-20° ? 70°C (-4° ? 158°F) ???? 0% ? 100%???? 95% ???????????????? (RH) ????????? 1%
????	10% ? 90% ???? ±2.5%???????? ±3.5%??? 25°C (77°F) ????????? 10% ??? 90% ????? ±5%
??	0.01%
??	??? <1%/?

???? (MX1104)

??	11 ??????? 1 m/s (2.2 mph) ?????
????	30 ??? 90%????? 1 m/s (2.2 mph) ?????

???? (MX1104)

??	0 ? 167,731 lux?15,582 ??/?????
????	????????? ±10%????????? 4 ??'????'???

???

